

- 14. CIF073024PW12** APPROPRIATING \$14,700 FROM DISTRICT 12 CAPITAL INFRASTRUCTURE FUNDS TO PUBLIC WORKS FOR SIDEWALK REPAIRS AT 4305, 4307, 4511, 4513, 4609, 4613, 4615, AND 4607 FLINTLOCK DRIVE, AND 6309 FLINTLOCK CIRCLE (ON FLINTLOCK DRIVE SIDE).

7/30/24 Labor, Economic Development, and Appropriations Committee Approved

**Sponsors:**

CIF 073024PW12

**Louisville Metro Council City Agency Request****Neighborhood Development Fund (NDF)****x Capital Infrastructure Fund (CIF)****Municipal Aid Program (MAP)****Paving Fund (PAV)****Primary Sponsor:** Councilman Blackwell/District 12**Amount:** 14700**Date:** 06/25/2024**Description of program/project including public purpose, additional funding sources, location of project/program and any external grantee(s):**

Funding for sidewalk repairs at 6309 Flintlock Circle (on Flintlock Dr side), 4607, 4615, 4613, 4609, 4513, 4511, 4307 and 4305 Flintlock Dr.

**City Agency:** Public Works**Contact Person:** Thierry Muhanuka**Agency Phone:** 502-574-5810

**I have reviewed this request for an expenditure of city tax dollars, and have determined the funds will be used for a public purpose and have the attached documentation from the receiving department concerning the project/expenditure.**

12

District #

  
 Council Member Signature

14,700

Amount

6/25/2024

Date

**Approved by:** \_\_\_\_\_

Appropriations Committee Chairman

Date

**Clerk's Office & OMB Use Only:**

Request Amount: \_\_\_\_\_

Amended Amount: \_\_\_\_\_

Reference #:

CIF 073024PW12

To OMB: \_\_\_\_\_

Budget Revision #: \_\_\_\_\_

Account #: \_\_\_\_\_

To Project Manager: \_\_\_\_\_

Completion Date: \_\_\_\_\_

Actual Cost: \_\_\_\_\_

Funds Returned: \_\_\_\_\_

**Department/Project:**

Public Works/Funding for Flintlock Dr &amp; Flintlock Circle sidewalk repairs

**Additional Signatures**

**I have reviewed this request for an expenditure of city tax dollars, and have determined the funds will be used for a public purpose.**

**Council Member Signature and Amount**

District 1	_____	\$ _____
District 2	_____	\$ _____
District 3	_____	\$ _____
District 4	_____	\$ _____
District 5	_____	\$ _____
District 6	_____	\$ _____
District 7	_____	\$ _____
District 8	_____	\$ _____
District 9	_____	\$ _____
District 10	_____	\$ _____
District 11	_____	\$ _____
District 12	_____	\$ _____
District 13	_____	\$ _____
District 14	_____	\$ _____
District 15	_____	\$ _____
District 16	_____	\$ _____
District 17	_____	\$ _____
District 18	_____	\$ _____
District 19	_____	\$ _____
District 20	_____	\$ _____
District 21	_____	\$ _____
District 22	_____	\$ _____
District 23	_____	\$ _____
District 24	_____	\$ _____
District 25	_____	\$ _____
District 26	_____	\$ _____

**NDF, CIF, MAP OR PAV INTERAGENCY CHECKLIST****Interagency Name:** Public Works**Program/Project Name:** Funding for Flintlock Dr & Flintlock Circle sidewalk repairs**Yes/No/NA****Request Form:** Is the Request Signed by all Council Member(s) Appropriating Funding?

Yes

**Request Form:** If matching funds are to be used, are they disclosed with account numbers in the request form description?

NA

**Request Form:** If matching funds are to be used, does the amount of the request exclude the matching fund amount?

NA

**Request Form:** If other funds are to be used for this project, are they disclosed with account numbers in the request form description?

NA

**Funding Source:** If CIF is being requested, does Metro Louisville own/will own the real estate, building or equipment? If not, the funding source is probably NDF.

Yes

**Funding Source:** If CIF is being requested, does the project have a useful life of more than one year? If not, the funding source is probably NDF.

Yes

**Ordinance Required:** Is the NDF request to a Metro Agency greater than \$5,000? If so, an ordinance is required.

NA

**Ordinance Required:** Is the request a transfer from NDF to cost center? If so, is the amount given for the fiscal year \$25,000 or less?

No

**Supporting Documentation:** Does the attachment include a valid estimate and description of cost?

Yes

**Submitted by:** Heather Blazis**Date:** 6/25/2024

**From:** [Muhanuka, Thierry](#)  
**To:** [Blazis, Heather](#)  
**Cc:** [Haines, Matthew](#); [Davis, Clinton](#)  
**Subject:** RE: D12 - Sidewalks Repair Cost Estimates on Flintlock Dr  
**Date:** Monday, June 17, 2024 2:33:49 PM  
**Attachments:** [image001.png](#)

---

Public Works will accept funds to repair the sidewalks on Flintlock Dr.

Thanks,

**From:** Blazis, Heather <[heather.blazis@louisvilleky.gov](mailto:heather.blazis@louisvilleky.gov)>  
**Sent:** Monday, June 17, 2024 2:21 PM  
**To:** Muhanuka, Thierry <[thierry.muhanuka@louisvilleky.gov](mailto:thierry.muhanuka@louisvilleky.gov)>  
**Cc:** Haines, Matthew <[Matthew.Haines@louisvilleky.gov](mailto:Matthew.Haines@louisvilleky.gov)>  
**Subject:** RE: D12 - Sidewalks Repair Cost Estimates on Flintlock Dr

Ok, thank you. Then Councilman Blackwell would like to repair these. Will PW accept the funding to repair them?

Thank you,  
Heather



**Heather Blazis** | Legislative Assistant  
Office of Councilman Rick Blackwell/District 12  
601 W. Jefferson Street | Louisville, KY 40202  
p: (502) 574-1112 f: (502) 574-3363  
[www.rickblackwell.com](http://www.rickblackwell.com)

**From:** Muhanuka, Thierry <[thierry.muhanuka@louisvilleky.gov](mailto:thierry.muhanuka@louisvilleky.gov)>  
**Sent:** Monday, June 17, 2024 2:19 PM  
**To:** Blazis, Heather <[heather.blazis@louisvilleky.gov](mailto:heather.blazis@louisvilleky.gov)>  
**Cc:** Haines, Matthew <[Matthew.Haines@louisvilleky.gov](mailto:Matthew.Haines@louisvilleky.gov)>  
**Subject:** RE: D12 - Sidewalks Repair Cost Estimates on Flintlock Dr

The other option we have is sidewalk grinding but since these are rated 4's and 5's I don't think they would be qualified for this treating. We only grind sidewalks that have 2" or less vertical displacement.

**From:** Blazis, Heather <[heather.blazis@louisvilleky.gov](mailto:heather.blazis@louisvilleky.gov)>  
**Sent:** Monday, June 17, 2024 11:32 AM  
**To:** Muhanuka, Thierry <[thierry.muhanuka@louisvilleky.gov](mailto:thierry.muhanuka@louisvilleky.gov)>  
**Cc:** Haines, Matthew <[Matthew.Haines@louisvilleky.gov](mailto:Matthew.Haines@louisvilleky.gov)>  
**Subject:** RE: D12 - Sidewalks Repair Cost Estimates on Flintlock Dr

Is there any better/cheaper way to do all of these sections instead of piece by piece? We just wanted to check.

Thanks,  
Heather



**Heather Blazis** | Legislative Assistant  
Office of Councilman Rick Blackwell/District 12  
601 W. Jefferson Street | Louisville, KY 40202  
p: (502) 574-1112 f: (502) 574-3363  
[www.rickblackwell.com](http://www.rickblackwell.com)

**From:** Muhanuka, Thierry <[thierry.muhanuka@louisvilleky.gov](mailto:thierry.muhanuka@louisvilleky.gov)>  
**Sent:** Monday, June 17, 2024 10:07 AM  
**To:** Blazis, Heather <[heather.blazis@louisvilleky.gov](mailto:heather.blazis@louisvilleky.gov)>  
**Cc:** Haines, Matthew <[Matthew.Haines@louisvilleky.gov](mailto:Matthew.Haines@louisvilleky.gov)>  
**Subject:** D12 - Sidewalks Repair Cost Estimates on Flintlock Dr

LA Blazis,

Below are the cost estimates to repair/replace the sidewalks on Flintlock Dr. Please let me know if you have any questions.

SR#	24ENG-01556
LOCATION	4305 Flintlock Dr
REQUESTED BY	D12 - LA Blazis
RATE	5
DATE SENT	6/17/2024
ESTIMATE BY	TM
MEASUREMENTS/COMMENTS	4'x40' of sw, seed and protection
ESTIMATE AMOUNT	\$2,100.00
<b><i>Estimate is valid for 120 days from date sent. Any requests after 120 days will require re-inspection.</i></b>	

SR#	24ENG-01557
LOCATION	4307 Flintlock Dr
REQUESTED BY	D12 - LA Blazis
RATE	4
DATE SENT	6/17/2024
ESTIMATE BY	TM
MEASUREMENTS/COMMENTS	4'x20' of sw, seed and protection
ESTIMATE AMOUNT	\$1,500.00
<b><i>Estimate is valid for 120 days from date sent. Any requests after 120 days will require re-inspection.</i></b>	

SR#	24ENG-01558
-----	-------------

LOCATION	4511 Flintlock Dr
REQUESTED BY	D12 - LA Blazis
RATE	4
DATE SENT	6/17/2024
ESTIMATE BY	TM
MEASUREMENTS/COMMENTS	4'x40' of sw, seed and protection
ESTIMATE AMOUNT	\$2,100.00
<b><i>Estimate is valid for 120 days from date sent. Any requests after 120 days will require re-inspection.</i></b>	

SR#	24ENG-01559
LOCATION	4513 Flintlock Dr
REQUESTED BY	D12 - LA Blazis
RATE	4
DATE SENT	6/17/2024
ESTIMATE BY	TM
MEASUREMENTS/COMMENTS	4'x25' of sw, seed and protection
ESTIMATE AMOUNT	\$1,500.00
<b><i>Estimate is valid for 120 days from date sent. Any requests after 120 days will require re-inspection.</i></b>	

SR#	24ENG-01560
LOCATION	4609 Flintlock Dr
REQUESTED BY	D12 - LA Blazis
RATE	4
DATE SENT	6/17/2024
ESTIMATE BY	TM
MEASUREMENTS/COMMENTS	4'x16' of sw, seed and protection
ESTIMATE AMOUNT	\$1,500.00
<b><i>Estimate is valid for 120 days from date sent. Any requests after 120 days will require re-inspection.</i></b>	

SR#	24ENG-01561
LOCATION	4613 Flintlock Dr
REQUESTED BY	D12 - LA Blazis
RATE	4
DATE SENT	6/17/2024
ESTIMATE BY	TM
MEASUREMENTS/COMMENTS	4'x8' of sw, seed and protection
ESTIMATE AMOUNT	\$1,500.00
<b><i>Estimate is valid for 120 days from date sent. Any requests after 120 days will require re-inspection.</i></b>	

SR#	24ENG-01562
LOCATION	4615 Flintlock Dr
REQUESTED BY	D12 - LA Blazis
RATE	4
DATE SENT	6/17/2024
ESTIMATE BY	TM
MEASUREMENTS/COMMENTS	4'x4' of sw, seed and protection
ESTIMATE AMOUNT	\$1,500.00
<b><i>Estimate is valid for 120 days from date sent. Any requests after 120 days will require re-inspection.</i></b>	

SR#	24ENG-01564
LOCATION	4607 Flintlock Dr
REQUESTED BY	D12 - LA Blazis
RATE	4
DATE SENT	6/17/2024
ESTIMATE BY	TM
MEASUREMENTS/COMMENTS	4'x16' of sw, seed and protection
ESTIMATE AMOUNT	\$1,500.00
<b><i>Estimate is valid for 120 days from date sent. Any requests after 120 days will require re-inspection.</i></b>	

SR#	24ENG-01565
LOCATION	6309 Flintlock Cir (on Flintlock Dr side)
REQUESTED BY	D12 - LA Blazis
RATE	4
DATE SENT	6/17/2024
ESTIMATE BY	TM
MEASUREMENTS/COMMENTS	4'x20' of sw, seed and protection
ESTIMATE AMOUNT	\$1,500.00
<b><i>Estimate is valid for 120 days from date sent. Any requests after 120 days will require re-inspection.</i></b>	

Thanks,

**From:** Blazis, Heather <[heather.blazis@louisvilleky.gov](mailto:heather.blazis@louisvilleky.gov)>

**Sent:** Monday, June 3, 2024 4:30 PM

**To:** Muhanuka, Thierry <[thierry.muhanuka@louisvilleky.gov](mailto:thierry.muhanuka@louisvilleky.gov)>

**Subject:** sidewalk issues

Good afternoon, Thierry. A constituent reached out to us about multiple sidewalk issues on Flintlock. Can we please have these areas inspected, rated and estimated?



Thanks,  
Heather

4305-4307, 4511, 4513, 4609, 4613, 4615 Flintlock Dr  
6300 Doe Run Rd (on Flintlock Dr side)

They also state that due to sunken sidewalk water pools at:  
4607 Flintlock Dr & 6309 Flintlock Court (Flintlock Dr side)



**Heather Blazis** | Legislative Assistant  
Office of Councilman Rick Blackwell/District 12  
601 W. Jefferson Street | Louisville, KY 40202  
p: (502) 574-1112 f: (502) 574-3363  
[www.rickblackwell.com](http://www.rickblackwell.com)